

Dr. Clark's  
Classification of  
Medicines

---





# CLASSIFICATION

---

OF

Medicines Employed in the Lectures

OF

DR. EDWARD H. CLARKE,

PROFESSOR OF MATERIA MEDICA IN HARVARD UNIVERSITY.

---

Published by Permission.

---



BOSTON:

ROCKWELL AND CHURCHILL, PRINTERS,  
122 WASHINGTON STREET.

1870.

Entered according to Act of Congress, in the year 1870, by

C. IRVING FISHER, M.D.,

in the Office of the Librarian of Congress, at Washington.

# CLASSIFICATION OF MEDICINES.

---

## GENERAL REMEDIES.

### STIMULANTS.

#### *Permanent.*

Astringents. Tonics.

#### *Diffusible.*

Arterial. Cerebral.  
Nervous. Spinal.

---

#### Anæsthetics.

#### Narcotics,

---

### SEDATIVES.

Arterial.

Cerebral.

Nervous.

---

### UNCLASSIFIED.

---

## LOCAL REMEDIES.

### I.

#### AFFECTING THE FUNCTIONS.

Emetics.

Cathartics.

Diuretics.

Diaphoretics.

Expectorants.

Cholagogues.

Uterine Motor  
stimulants.

Emmenagogues.  
Sialagogues.

Errhines.

## II.

## AFFECTING THE ORGANIZATIONS.

Rubefacients.	Epispastics.	Escharotics.
---------------	--------------	--------------

## III.

## ACTING MECHANICALLY.

Emollients.	Demulcents.	Protectives.
	Diluents.	

## IV.

## NON-SYSTEMIC.

Antacids.	Anthelmintics.
-----------	----------------

---

 VEGETABLE ASTRINGENTS.

Tannic Acid, gr. 2-5.	Gallic Acid, gr. 5-15.
Kino, gr. 10-30.	Catechu, gr. 10-30.
Krameria, gr. 20-30.	Rubus Villosus, gr. 20-30.
Geranium, gr. 20-30.	Hæmatoxylon, dec.
Quercus, gr. 20-30.	Uva Ursi, gr. 20-60.

---

 MINERAL ASTRINGENTS.

Alum, gr. 5-30.	Acetate of Lead, gr. $\frac{1}{2}$ -2.
Sulphuric Acid, Dil. gtts.	“ Zinc, gr. 1-2.
10-20.	Nitrate of Silver, gr. $\frac{1}{8}$ -1.
Sulphate of Zinc, gr. 2-5.	Tinct. of Chl. Iron, gtts.
“ Iron, gr. 1-5.	5-20.
“ Copper, gr. $\frac{1}{4}$ -2.	Carbonate of Lime, gr. 20-60.
Oxide of Zinc, gr. 1-5.	Bi-Chl. Mercury, gr. 1-20—1-8.
Lime.	



## VEGETABLE TONICS.

## I.

## SIMPLE BITTERS.

Quassia, f 3  $\frac{1}{2}$ -2.Columbo, f 3  $\frac{1}{2}$ -2.Gentian, f 3  $\frac{1}{2}$ -2.

Anthemis, Inf.

## II.

## PECULIAR BITTERS.

Cinchona and its Alkaloids. Humulus; Lupulin gr. 6-12.

Serpentaria, Inf.

Prunus Virginiana, Inf.

Cascarilla, Inf.

Angustura, Inf.

Thoroughwort, Inf.

## III.

## AROMATIC BITTERS.

Cardamom, f 3 1-2. Lavender Comp. Spts. Spices.

## MINERAL TONICS.

Mineral Acids, especially Nitro-Muriatic.

Iron, Silver, Zinc, Bismuth, Manganese, and their preparations.

## ARTERIAL STIMULANTS.

Ammonia, and its preparations.

Capsicum, m 10-20.

Oil of Turpentine, m 10-60.

Phosphorus.

Heat.

## NERVOUS STIMULANTS.

Assafoetida, f 3  $\frac{1}{2}$ -1.Valerian, f 3  $\frac{1}{2}$ -2.

Scutellaria.

Garlic, 3  $\frac{1}{2}$ -2.

Galbanum, resin, gr. 10-30. Ammoniac, gr. 10-30.

Oil of Amber, gtts. 5-20.	Dracontium, gr. 10-20.
Castor, gr. 10-30.	Tea and Coffee.
Musk, gr. 5-10.	Arnica, gr. 5-20.

## CEREBRAL STIMULANTS.

Opium and its Alkaloids.	Alcohol.
Camphor, gr. 5-10.	Sulphuric Ether, ℥ 20-60.
Hyoscyamus, f 3 ½-1.	Com. Spts. Sulphuric Ether,
Stramonium, ℥ 10-20.	℥ 30-f 3 2.
Belladonna, ℥ 5-20.	Chloric Ether.
Canabis Indica, ℥ 10-30.	

## SPINAL STIMULANTS.

Nux Vomica and its Alkaloids.  
 Ergot, f. ext. ℥ 10-30. Bean of St. Ignatius, ext. gr. ½-1.

---

## ARTERIAL SEDATIVES.

Preparations of Antimony.  
 Refrigerant Salts. Cold.  
 Vegetable Acids, especially Citric Acid, gr. 10-30.

## NERVOUS SEDATIVES.

Veratrum Viride, ℥ 2-5.	Aconite, ℥ 5-15.
Digitalis, ℥ 10-20.	Conium Mac. ℥ 30-60.
Veratria (the Alkaloid), gr. 1-12-¼.	Prussic Acid, Dil. gtts. 1-10.
Lactucarium, gr. 5-30.	Bromide of Potassium, gr. 5-30.
Dulcamara, f. ext. ℥ 30-60.	Bromide of Ammonium.
Chloroform, ℥ 3-10.	Cimicifuga, f. ext. ℥ 30-60.
Hydrate of Chloral, gr. 5-60.	



## UNCLASSIFIED.

Mercury and its preparations.

Iodine        "        "

Arsenic       "        "

Silver        "        "

Bromine       "        "

Chlorine       "        "

Chlorate of Potassa.

Colchicum.

Sulphur.

Mezereon.

Pepsin.

Creasote.

Cubeb.

Cod-liver Oil.

Electricity.

Oxygen.

Sarsaparilla.

Sassafras.

Guaiaacum.

Dulcamara.

Muriate of Ammonia.

Copaiba.

Myrrh.

Cimicifuga.

Oil of Theobroma.

## EMETICS.

## I.

## IRRITANT OR MECHANICAL.

Sulphate of Zinc, gr. 5-20. Mustard, 3 1-4.

" Copper, gr. 3-10. Alum, gr. 20.

Chloride of Sodium. Turpeth Min., gr. 15-20.

## II.

## SPECIFIC OR NAUSEANT.

Ipecac, gr. 10-20.

Squills, m 10-60.

Gillenia, gr. 20-30.

Tartar Emetic, gr. 2-5.

Lobelia, f 3 1-4.

Sanguinaria, gr. 10-20.

## CATHARTICS.

## I.

## LAXATIVES.

Laxative Diet.	Fruits.
Manna, gr. 30-60.	Mercury.
Sulph. of Magnesia, $\mathfrak{z}$ $\frac{1}{2}$ -1.	Olive Oil, $\mathfrak{z}$ $\frac{1}{2}$ -1.
Carb. " $\mathfrak{z}$ 1-2.	Enemata.

## II.

## MILD PURGES.

Castor Oil, $\mathfrak{z}$ $\frac{1}{2}$ -1.	Senna, inf.
Rhubarb, gr. 5-15.	Aloes, gr. 1-10.
Juglans, ext. gr. 20-30.	Leptandrin, gr. 2-4.
Preparations of Magnesia, Soda, and Potassa.	

## III.

## DRASTIC PURGES.

Jalap, gr. 10-30.	Scammony, gr. 5-10.
Colocynth, gr. 1-5.	Gamboge, gr. 2-10.
Croton Oil, gtt. $\frac{1}{2}$ -2.	Elaterium, gr. $\frac{1}{2}$ -1.
Podophyllin, gr. $\frac{1}{4}$ -1.	Comp. Cathartic P. 3.

## IV.

## INDIRECT CATHARTICS.

Habit.	Belladonna.
Nux Vomica.	Electricity.

## DIURETICS.

## I.

## RENAL HYDRAGOGUES (non-stimulating).

Squills, $\mathfrak{m}$ 10-30.	Digitalis, $\mathfrak{m}$ 5-20.
Juniper, inf.	Uva Ursi, f. ext. $\mathfrak{m}$ 30-60.
Taraxicum, f. ext. $\mathfrak{z}$ 1-2.	Scoparius, gr. 10-15.

## II.

## RENAL HYDRAGOGUES (stimulating).

Buchu, f ʒ 1-2.	Cantharides, m 5-20.
Copaiba, m 20-60.	Creasote, m 1-2.
Oil Turpentine, m 5-15.	Cubebs, f ʒ ½-2.
Eupatorium Purpureum.	

## III.

## RENAL DEPURATIVES.

Nitrate of Potassa, gr. 5-30.	Benzoic Acid, gr. 10-15.
Bitartrate “ gr. 20-60.	Spirits Nitrous Ether,
Acetate “ gr. 20-60.	m 20-60.
Carbonate “ gr. 10-30.	Erigeron, inf.
“ Soda, gr. 10-30.	

## DIAPHORETICS.

## I.

## NAUSEATING.

All specific emetics in small doses, especially Ipecac,  
gr. 1-5, and Tartar Emetic, gr. 1-12—1-6.

## II.

## REFRIGERATING.

Most alkaline salts, especially Citrate of Potassa,  
gr. 10-20, and Acetate of Ammonia, f ʒ ½-1½.

## III.

## STIMULATING.

Sarsaparilla, f. ext. m 30-60. Camphor, gr. 2-10.  
Serpentaria, f. ext. m 30-60. Guaiacum, f ʒ ½-1.

Mezereon, gr. 5-10.                      Sassafras, inf.  
Carbonate of Ammonia, gr. 5.

---

## EXPECTORANTS.

### I.

#### RELAXING.

Ipecac, gr. 1-5.                      Tartar Emetic, gr. 1-12—1-6.  
Lobelia, ℥ 10-30.

### II.

#### STIMULATING.

Squills, ℥ 10-30.	Senega, f 3 1-2.
Balsam of Peru, f 3 ½.	Carb. of Ammonia, gr. 5.
“ - Tolu, f 3 ½.	Muriate “ gr. 5-20.
Assafoetida, gr. 1-10.	Benzoin, gr. 10-30.
Styrax, gr. 10-30.	Tar.
Copaiba, ℥ 10-30.	

---

## CHOLAGOGUES.

Nitro-muriatic Acid, dil.	Rhubarb, f 3 1-2.
℥ 5-20.	Podophyllum, gr. 5-10.
Aloes, f 3 1-2.	Taraxicum, f. ext. 3 1-2.
Muriate of Ammonia, gr. 5-30.	

---

## EMMENAGOGUES.

Aloes, f 3 1-2.	Rue, gr. 15-30.
Savine, f 3 ½-1.	Tansy, inf.
Electricity.	Cimicifuga, f. ext. ℥ 20-60.
Gin.	Electricity.

## UTERINE MOTOR STIMULANTS.

Ergot, f. ext.  $\mathfrak{m}$  10-30.

Tansy, inf.

Borax, gr. 20-40.

Electricity.

## SIALAGOGUES.

Tobacco.

Spices.

## ERRHINES.

Snuff.

Aromatic powders.

## RUBEFACIENTS.

Mustard.

Horse-radish.

Capsicum.

Oil Turpentine.

Croton Oil.

Tartar Emetic.

Heat.

## EPISPASTICS.

Cantharides.

Sol. of Ammonia.

## ESCHAROTICS.

Burnt Alum.

Sulphate of Copper.

Nit. Oxide of Mercury.

Caustic Potassa.

Nitrate of Silver.

Chromic Acid.

## EMOLLIENTS.

Glycerine.

Bread.

Milk.

Slippery Elm.

## DEMULCENTS.

Acacia.	Flaxseed.	Slippery Elm.	Sugar.
Molasses.	Glycerine.	Wheat.	Starch.
Arrow-root.			

---

## PROTECTIVES.

Fixed Veg. Oils.	Glycerine.	Lard.	Suet.
Wax.	Collodion.	Gutta Percha.	

---

## ANTACIDS.

Preparations of Soda, Potassa, Lime, Ammonia, and Magnesia.

---

## ANTHELMINTICS.

Santonin, gr. 2-3.	Gamboge, and other dras-
Salt enemata.	tics.
Aloes, gr. 5-15.	Pepo, $\mathfrak{z}$ 1-2.
Spigelia, f. ext. $\mathfrak{z}$ 1-2.	Male Fern, oil, gtts. 15-30.
Chenopodium, oil, gtts. 20-30.	Koosso, $\mathfrak{z}$ $\frac{1}{2}$ .

---

The doses given are the average for an adult, and are given in substance and tinctures, unless otherwise indicated.





